

INDEX TO VOLUME XXXIV ¹

INDEX TO AUTHORS AND TITLES

- Ajello, Libero.** *Polychytrium*: a new cladochytriaceous genus 442
- Arde, Walker Robert.** Studies in the genus *Tricholoma*—I 416
- Bedford, Clifford Levi.** A taxonomic study of the genus *Hansenula* 628
- Bessey, Ernst Athearn.** Some problems in fungus phylogeny 355
- Bisby, Guy Richard, Mason, Edmund William & Wakefield, Elsie Maud.**
A note on nomenclature 215
- Bitancourt, Agesilau Antonio & Jenkins, Anna Eliza.** *Elsinoë* in Uganda 318;
"Myriangiales Selecti Exsiccati" Fascicle 1 214
- Bonar, Lee.** Studies on some California fungi II 180
- & **Cooke, William Bridge.** Some new and interesting fungi from Mount Shasta 663
- Burlingham, Gertrude Simmons.** Spore ornamentation of some American Russulae and a new species of *Lactaria* 8
- Burton, Gwendolyn & Miller, Julian Howell.** Georgia Pyrenomycetes III 1
- Campbell, William Andrew & Davidson, Ross Wallace.** A species of *Poria* causing rot and cankers of hickory and oak 17
- , **Weber, George Frederick & Davidson, Ross Wallace.** *Ptychogaster cubensis*, a wood-decaying fungus of southern oaks and waxmyrtle 142
- Carrión, Arturo Lorenzo.** Chromoblastomycosis 424
- Cash, Edith Katherine.** *Phacidium nigrum* 59
- Charles, Vera Katharine.** A *Laschia* on cabbage palmetto 235; A new yellow *Lepiota* 322; Mushroom poisoning caused by *Lactaria glaucescens* 112
- Christensen, Clyde.** Two cases of unusual development of fruit bodies 400
- Cooke, William Bridge & Bonar, Lee.** Some new and interesting fungi from Mount Shasta 663
- Cummins, George Baker.** Mycological Society of America 706; Revisionary studies in the tropical American rusts of *Panicum*, *Paspalum* and *Setaria* 669
- Davidson, Ross Wallace.** Some additional species of *Ceratostomella* in the United States 650
- & **Campbell, William Andrew.** A species of *Poria* causing rot and cankers of hickory and oak 17
- , **Campbell, William Andrew & Weber, George Frederick.** *Ptychogaster cubensis*, a wood-decaying fungus of southern oaks and waxmyrtle 142
- Dodge, Bernard Ogilvie.** A note on segregation types in *Glomerella* 219; Conjugate nuclear division in the fungi 302
- Drechsler, Charles.** New species of *Acaulopage* and *Cochlonema* destructive to soil amoebae 274
- Ehrlich, John.** Occurrence of *Gonatorrhodiella Highlei* in Nova Scotia and New Brunswick 705

¹ This index was prepared by Gussie Mildred Miller.

- Emmons, Chester Wilson.** Coccidioidomycosis 452
- Fitzpatrick, Harry Morton.** Revisionary studies in the Coryneliaceae 464;
Revisionary studies in the Coryneliaceae. II. The genus *Caliciopsis* 489
- Hagelstein, Robert.** A new genus of the Mycetozoa 593; A new species of Mycetozoa 116; Notes on the Mycetozoa—VI 248
- Honey, Edwin Earl.** *Monilinia Amelanchieris* 575
- Hotson, Hugh Howison.** Some species of *Papulaspora* associated with rots of *Gladiolus* bulbs 391; The morphological distinction between *Urocystis Gladioli* and *Papulaspora Gladioli* 52
- Jenkins, Anna Eliza & Bitancourt, Agesilau Antonio.** *Elsinoë* in Uganda 318; "Myriangiales Selecti Exsiccati" Fascicle 1 214
- Karling, John Sidney.** A synopsis of *Rozella* and *Rozellopsis* 193
- Kheswalla, Kavasji Framaji & Mundkur, Bhalchendra Bhavanishankar.** Indian and Burman species of the genera *Pestalotia* and *Monochaetia* 308
- Ledingham, George Aleck.** Karling's Plasmodiophorales 596
- Lohman, Marion Lee.** A new fungous parasite on dung-inhabiting Ascomycetes 104
- Long, William Henry.** Studies in the Gasteromycetes IV. A new species of *Geaster* 13; V. A white *Simblum* 128; VI 532
- Mains, Edwin Butterworth.** Joseph Charles Arthur (1850-1942) 601
- Malloch, Walter Scott.** The inheritance of induced mutations in *Neurospora tetrasperma* 325
- Martin, George Willard.** Clamp-connections in the Tremellales 132; Taxonomic notes on Myxomycetes 696
- Mason, Edmund William, Wakefield, Elsie Maud & Bisby, Guy Richard.** A note on nomenclature 215
- McCranie, James.** Sexuality in *Allomyces cystogenus* 209
- Meyer, Samuel Lewis.** Review 348
- Milbrath, J. A. & Tucker, Clarence Mitchell.** Root rot of *Chamaecyparis* caused by a species of *Phytophthora* 94
- Miller, Julian Howell & Burton, Gwendolyn.** Georgia Pyrenomycetes III 1
- Mrak, Emil Marcel, Phaff, Herman Jan & Smith, Bert Lowell.** Non-validity of the genus *Asporomyces* 139
- Mundkur, Bhalchendra Bhavanishankar, & Kheswalla, Kavasji Framaji.** Indian and Burman species of the genera *Pestalotia* and *Monochaetia* 308
- Murrill, William Alphonso.** Florida resupinate polypores 595
- Olive, Lindsay Shepherd & Shanor, Leland.** Notes on *Araiospora streptandra* 536
- Pady, Stuart McGregor.** Distribution patterns in *Melampsorella* in the national forests and parks of the western states 606
- Phaff, Herman Jan, Smith, Bert Lowell & Mrak, Emil Marcel.** Non-validity of the genus *Asporomyces* 139
- Plakidas, Antonios George.** *Venturia acerina*, the perfect stage of *Cladosporium humile* 27
- Pomerleau, Rene.** The spherical gall rust of Jack Pine 120
- Porter, John Norman.** The mycorrhiza of *Zeuxine strateumatica* 380
- Ray, William Winfield.** Notes on Oklahoma Cercosporae—II 558
- Rea, Paul Marshall.** Fungi of southern California. I 563
- Routien, John Broderick.** Notes on fungi previously unreported from Missouri 579

- Salvin, Samuel Bernard. Variations of specific and varietal character induced in an isolate of *Brevilegnia* 38
- Seaver, Fred Jay. Announcement 215; Mycologia 348; Parasitic fungi of Wisconsin 597; Photographs and descriptions of cup-fungi—XXXVI. A new species and genus 298; XXXVII. *Pezicula purpurascens* 412; *Plectania coccinea* 119; "The adventure of the ardent mycologist" 705; White's *Rutstroemia* 598
- & Waterston, John MacLaren. Contributions to the mycoflora of Bermuda—III 515
- Seeler, Edgar V. Index to Mycologia Europaea 353
- Shanor, Leland. A new *Monoblepharella* from Mexico 241
- & Olive, Lindsay Shepherd. Notes on *Araiospora streptandra* 536
- Shear, Cornelius Lott. Mycological notes. VI 263
- Singer, Rolf. Type studies on Basidiomycetes. I 64
- Smith, Bert Lowell, Mrak, Emil Marcel & Phaff, Herman Jan. Non-validity of the genus *Asporomyces* 139
- Snell, Walter Henry. Mycological Society of America—report on the 1940 foray 226; report on the 1941 foray 350; New proposals relating to the genera of the Boletaceae 403
- Sparrow, Frederick Kroeber. A classification of aquatic Phycomycetes 113
- Stout, Arlow Burdette. Puff-balls in Ohio 217
- Tehon, Leo Roy. Can we reproduce Saccardo's *Sylloge Fungorum*? 592
- Tucker, Clarence Mitchell & Milbrath, J. A. Root rot of *Chamaecyparis* caused by a species of *Phytophthora* 94
- Wakefield, Elsie Maud, Bisby, Guy Richard & Mason, Edmund William. A note on nomenclature 215
- Waterston, John MacLaren & Seaver, Fred Jay. Contributions to the mycoflora of Bermuda—III 515
- Weber, George Frederick, Davidson, Ross Wallace & Campbell, William Andrew. *Ptychogaster cubensis*, a wood-decaying fungus of southern oaks and waxmyrtle 142
- Weston, William Henry. Book review 221
- Whetzel, Herbert Hice. A new genus and new species of brown-spored inoperculate discomycete from Panama 584; *Ciliospora albidia* 525; Phytopathological classics 353
- Whiffen, Alma Joslyn. Two new chytrid genera 543
- White, William Lawrence. Studies in the genus *Helotium*. I. A review of the species described by Peck 154
- Zundel, George Lorenzo. Studies on the Ustilaginales of the world II 123

INDEX TO GENERA AND SPECIES

New names and the final members of new combinations are in **bold face type**. Mistakes in the spelling of scientific names encountered in text are corrected in the index.

- | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Acaulopage 274, 278; acanthospora 274, 276; gomphoclada 281, 282, 295; lasiospora 276, 277, 294; rhinospora 278, 279; tetraceros 274, 289-291, 293, 296 | Achlya 48, 49, 116, 194, 200, 203, 204, 207, 208, 555; dioica 203; flagellata 207; polyandra 203, 207; racemosa 203, 207 |
| | Achlyella 114 |

- Achlyogeton 114
 Acrotheca 430-433, 435-438; Pedrosoi 440
 Adelopus balsamicola 230
 Aecidium 684; passifloricola 695; Serjanae 673; tubulosum 673, 683, 684, 695
 Agaricus 405; campestris 521; olivascens 90
 Albofia oreophila 474
 Alectoria altaica 350; bicolor 350; sarmentosa 350
 Aleurodiscus amorphus 231; Farlowii 231
 Allomyces 115, 194, 209, 212, 213, 366, 445; arbuscula 204, 212, 213, 451; cystogenus 210-212; javanicus 212, 213, 451
 Alwisia 702
 Amanita 216; bisporiger 234, 583; Caesarea 404; flavoconia 234; Frostiana 234; phalloides 233; spissa 583
 Amanitopsis vaginata 233; vaginata fulvus 233; volvata 583
 Amaurochaete 249, 250; ferruginea 249; trechispora 250
 Amoebocytrium 115, 443
 Amphisphaeria aethiops 229; **fusispora** 519, 522
 Anaptychia corallophora 349; sore-diifera 349; squamulosa 349
 Androsaceus haematocephalus 239
 Angiopsora 685, 695; compressa 669, 670, 686
 Anthostomella 6; nigroannulata 519
 Aphanistis 114
 Aphanomyces 116
 Aphanomycopsis 115
 Aplanes 116, 371
 Apodachlya 116
 Apodachlyella 116
 Aposphaeria 264-267; acuta 267; clavata 503, 504; complanata 267; subtilis 265, 266
 Apostemidium 178
 Araiopora 116, 536, 537, 540, 541; pulchra 536, 541; streptandra 536, 537, 540, 541; streptandra **echinulospaera** 538, 540, 541
 Archilegnia 368
 Arcyria cinerea 228; incarnata 228; nutans 228
 Armillaria imperialis 234
 Arrhytidia enata 135; involuta 135
 Arthonia biseptata 349; caesia 349
 Arthopyrenia fallax 349; pinicola 349
 Ascobolus 105, 107, 109, 110; carbonarius 376; immersus 104, 106-110; Leveillei 104, 106; stercorarius 104, 106-108
 Ascoconidium **Castaneae** 414, 415
 Ascocorticium 377
 Ascophanus 107, 109; bermudensis 516; carneus 107, 109; Holmskjoldii 106, 108
 Aspergillus 372
 Asporomyces 139, 140; asporus 139, 141; uvae 139, 141
 Asterodon ferruginosum 231, 232
 Asterophlyctis 115
 Asterostroma ochrostroma 231, 232
 Atractobasidium 137
 Auricularia 133; Auricula-Judae 136; delicata 136; mesenterica 136; polytricha 136, 523; rosea 136
 Bacidia chlorantha 350; endocyanea 350
 Bacterium 655, 657
 Badhamia 116-118, 251, 252, 260; affinis 250, 251; capsulifera 251; cinerascens 252; **Dearnessii** 117, 118, 248, 253; macrocarpa 253, 254; orbiculata 251; panicea 253, 254, 260; panicea heterospora 254; rubiginosa 228
 Barbetia 359
 Basidiobolus 223, 371; ranarum 379
 Battarrea 563, 564, 567, 568, 570, 573, 574; Diguetti 563, 564, 567-569, 571-573; Diguetti f. minor 567, 570; Gaudichaudii 566, 567; Griffithsii 563, 564, 567-569; Guicciardiniana 566, 567, 574; phalloides 563-567, 573; Stevenii 565-567
 Belonioscypha ciliatospora 160, 167
 Belonium bryogenum 168
 Belospora 161; ciliatospora 161
 Bicricium 114
 Bifusella **acuminata** 665
 Blastocladia 115, 358, 366, 445, 450, 451; strangulata 450
 Blastocladiella 115, 212, 366
 Blyttimyces 114
 Boletellus 409; Ananas 409; chrysenteroides 409; subflavidus 409
 Boletinellus 65
 Boletinus cavipes 234; glandulosus 234; porosus 65
 Boletus 403-406, 409; albellus 583; americanus 234; auriporus 233; badius 233; Betula 409; chromapes 234; cyanescens 405; edulis 81, 82, 234, 404; elegans 234; felleus 233; granulatus 233, 234, 405; holopus 233, 234; luridus erythropus 583; niveus 233, 234; piperatus 234; Ravenelii 64, 65; Russellii 409; scaber 234; subluteus 234; versipellis 234; viscidus 234
 Bonordeniella memoranda 191
 Botrydium 364

- Botryobasidium coronatum* 231; *isabellinum* 231; *vagum* 231
Botryosphaeria Ribis 519, 524
Botrytis 57, 392, 395, 397, 585, 586; *cinerea* 217, 585, 586
Botrytoides 435; *monophora* 434, 436
Bourdottia 133
Bovistoides 532, 534; *simplex* 532, 533; *Torrendii* 532-534
Brachyallomyces 209
Brettanomyces 647, 648; *bruxellensis* 629, 641, 647; *lambicus* 640
Brevilegnia 38-41, 43-51, 116; *bispora* 49, 50; *diclina* 43, 44, 49, 51; *linearis* 43, 49; *megasperma* 43, 45, 49; *subclavata* 39, 43, 49; *unispermata* 38, 43; *unispermata delica* 43, 44, 49; *unispermata litoralis* 43, 47, 49; *unispermata montana* 49
Caliciopsis 464, 465, 485, 488-492, 503, 514; *calicioides* 493, 498; *clavata* 493, 498, 503, 504; *Ellisii* 498; *Ellisii Tiliae* 497; *ephemera* 500; *maxima* 493, 506, 508, 513; *nigra* 493, 501, 504; *pinia* 229, 465, 466, 489-491, 493, 494, 496-498; *Pseudotsugae* 493, 494, 496; *steno-cyboidea* 493; *subcorticalis* 493, 497, 498, 500; *Symploci* 491, 493, 511, 513; *thujina* 493, 506; *Tiliae* 493, 497, 498
Calicium 465, 490; *ephemerum* 500, 501; *steno-cyboidea* 493
Calocera cornea 230; *macrospora* 135
Calonectria Umbelliferarum 516
Calonema 696; *aureum* 696
Calvatia gigantea 217, 218
Calycella scutula 160; *turbinata* 168
Calycina 598; *albumina* 156; *bryogena* 168; *episphaerica* 175; *fastidiosa* 165; *fraterna* 173; *Limonium* 162; *mycetophila* 177; *naviculasporea* 169; *saprophylla* 169
Calyptospora 231; *Goeppertiana* 231
Calyptralegnia 116
Camarosporium 263; *sarmenticum* 263
Candida 645, 647; *Guilliermondi* 630, 641, 647; *Krusei* 629, 630, 641, 647; *monosa* 140; *pelliculosa* 645; *tropicalis* 140
Cantharellus infundibuliformis 583; *lutescens* 231; *tubaeformis* 583
Capnodiella maxima 508
Capnodium 492; *arrhizum* 513; *fruticolum* 485; *maximum* 490, 508, 510
Catenaria 115, 443, 444, 451; *albo-cincta* 349; *sphaerocarpa* 444
Catenochytridium 115; *carolineanum* 200
Catherinia 664
Cenangella deformata 516, 520
Cenangium Sequoiae 181
Cephalosporium 655
Ceracea canadensis 135; *crustulina* 135
Ceratiomyxa 696; *fruticulosa* 228, 696, 698; *sphaerosperma* 697
Ceratostoma juniperinum 501, 502; *stromaticum* 502
Ceratostomella 650, 655, 657, 660, 661; *Castaneae* 655; *cirrhuosa* 660; *Fagi* 651, 655, 661; *fimbriata* 661; *leptographioides* 652, 655, 657, 660; *merulinensis* 651, 655, 661; *microspora* 650, 652, 653, 655, 660; *minutum* 655-657, 659; *multiannulata* 653; *mycophila* 651; *penicillata* 657, 658, 660; *piceaperda* 657, 658; *pilifera* 653; *pluriannulata* 653, 655; *Querci* 651, 655, 661; *rostracylindrica* 655, 656, 658; *stenoceras* 651-653, 655, 659; *vestita* 660
Cercospora 27, 558, 560; *adusta* 561; *althaeina* 561; *angulata* 561; *avicularis* 561; *Callicarpae* 561; *Catalpae* 561; *Cocculi* 559; *cocculicola* 558; *Coryli* 561; *Corylina* 560; *Davisii* 561; *desmodiicola* 561; *Elaeagni* 561; *granuliformis* 561; *guanicensis* 523; *Kolkwitziae* 559; *lathyrina* 561; *Pentstemonis* 562; *Petersii* 562; *Physocarpi* 560; *Pulcherrimae* 562; *rhuiua* 188; *rosicola* 562; *Rubigo* 560; *Spiraeae* 560; *Teucriti* 562; *Toxicodendri* 188; *Weigeliae* 560
Cercosporella 560; *californica* 188
Ceratomyces 404
Cetraria ciliaris 350
Chaetotrichum 189; *macrosporum* 182, 189; *Solani* 189
Characium 363
Chlorochytrium 363
Chlorociboria versiformis 178, 229
Chloroscypha Jacksoni 229
Chlorosplenium aeruginosum 229
Chromocrea gelatinosa 229
Chrysomyxa chiogenis 231; *Ledi* 231; *ledicola* 231
Chytridium 115, 556; *Polysiphoniae* 200; *simulans* 198
Ciboria ciliatosporea 159
Ciliostoma 527-529, 531; *albida* 526-531; *gelatinosa* 528, 530
Cladochytrium 115, 444, 445, 447; *crassum* 200; *hyalinum* 200, 450; *replicatum* 200, 444, 451; *stomatophilum* 445
Cladonia impepa 350; *mitis* 350

- Cladosporium 35, 430, 432, 438, 439;
 herbarum 217; humile 28, 34-37,
 234
 Clastoderma Debaryanum 703
 Clathrospora 664
 Claudopus depluens 580
 Clavaria 515; amethystinoides 232;
 byssisseda 583; fusiformis 232;
 pistillaris 583; vermiculata 515
 Claviceps purpurea 229
 Clithris crispa 184; morbida 229;
 Sequoiae 183
 Clitocybe laccata 233; laccata striatula
 580, 581
 Clitopilus 66; **Giovanellae 66**; muti-
 lus 66; Passeckerianus 66; prunulus
 66; variabilis 66; Woodianus 581
 Clypeothecium 271; Weirii 271, 273
 Coccidioides immitis 452, 454, 456,
 457, 460-463
 Coccomyces coronatus 230; coronatus
 lacinatus 230
 Cochlonema 274, 283, 287, 291;
 bactrosporum 274, 291; bactro-
 sporum **longius 292, 293, 297**;
 euryblastum 285, 287, 288, 291,
 293, 296; megalasomum 286; sym-
 plocum 284, 286, 287; verrucosum
 284, 286, 287
 Codium 365
 Coelomycidium Simulii 445, 450
 Coenomyces 115
 Collemodes 376
 Collonema 264, 265; hemisphaericum
 264; papillatum 264, 265
 Collybia cirrata 233; dryophila 233;
 radicata 233; radicata furfuracea
 233
 Comatricha 249; elegans 228; Ellisii
 698; fimbriata 703; laxa 698;
 nigra 257; pulchella 228; Rispaudii
 254; Suksdorfii 257; typhoides 228
 Completoria 223
 Conidiobolus 223
 Coniophora 303; cerebella 303; oli-
 vacea 231; sistotremoides 231
 Coprinus 234, 306; plicatilis 581
 Coralliochytrium 114
 Cordyceps acicularis 229; militaris
 579
 Corticium 377; arachnoideum 231;
 calceum 231; coronilla 302; galac-
 tinum 231; livido-caeruleum 231;
 roseo-carneum 231; subpallidum
 231; sulphureum 231; Tsugae 231
 Cortinarius michiganensis 581
 Corynelia 464-469, 472, 474, 485, 488,
 490-492; bispora 468, 487, 488;
 brasiliensis 469, 475, 477, 479,
 481; carpophila 485, 487; clavata
 469, 503, 504; clavata f. andina 473;
 clavata f. macrospora 488; clavata
 portoricensis 479; fruticicola 466,
 468, 485, 488, 492; jamaicensis 469,
 475, 478, 481; juniperina 492, 502;
 nipponensis 469, 472, 481; oreo-
 phila 469, 474, 475, 477-479, 481;
 portoricensis 469, 475, 478, 479,
 481; pteridicola 508, 510; tripos
 481, 482; tropica 469, 471-473;
 uberata 465, 468, 469, 471, 472
 Coryneliella 464
Coryneliospora 467, 468, 485, 487;
 fruticicola 485, 487
 Craterellus lutescens 231
 Craterium 701; minutum 228; para-
 guayense 254
 Crepidopus 216
 Crepidotus applanatus 233
 Cribraria 256; atrofusca 254, 255;
 dictyospora 255, 256; laxa 256;
 microcarpa 228; piriformis 255;
 tenella 228
 Cricunopus 406
 Crocynia neglecta 349
 Cronartium 121; colesporioides 120-
 122, 625; Commandrae 120; Comp-
 toniae 120; Quercuum 120, 579;
 ribicola 231
 Cryptococcus Fagi 705
 Cryptomyces Pteridis 230
 Cudonia circinans 229
 Cudoniella acicularis 179
 Cyindrosporiium 560
 Cyphelium stenocyboides 493
 Cystobasidium sebaceum 136
 Cystogenes 209, 210, 212
 Dacryomyces abietinus 230; delique-
 scens 135, 230; Ellisii 135; gangli-
 formis 135; palmatus 135, 230;
 punctiformis 135
 Dacryomitra brunnea 230
 Daedalea Berkeleyi 523; confragosa
 232, 401; unicolor 232
 Daldinia concentrica 229
 Dangeardia 114
 Dasyscypha 176; Agassizii 229
 Dasyscyphella Vitis 229
 Debaryomyces Guilliermondii 140
 Dendrophoma pleurospora 264
 Dermatea 180, 298, 300; acerina 229;
 balsamea 229; brunneo-pruinosa
 180, 298, 300; lobata 298; mollius-
 cula 229; mycophaga 175, 176;
 purpurascens 412, 414
 Diachea 260, 594; cerifera 593;
 leucopodia 228; miyazakiensis 593
 Diacheopsis 594
 Dialoectria Peziza 229
 Diaporthe Arctii 1
 Diatrype Stigma 229
 Diatrypella 176; verrucaeformis 229

- Dicaeoma atrum* 689; *Chaetochloae* 678; *eslavensis* 689; *Huberi* 692; *macrum* 687; *Setariae* 691; *substriatum* 683; *tubulosum* 683
Dichaena strumosa 501
Dicranophora 371
Dictydium cancellatum 228
Dictyocephalos 574
Dictyuchus 47, 116
Diderma effusum 228; *globosum* 228; *simplex* 256; *testaceum* 228
Didymium 260; *anellus* 24, 249; *complanatum* 228; *minus* 228; *squamulosum* 228; *Sturgisii* 256; *xanthopus* 228, 261
Didymosphaeria Andropogonis 521, 522
Diedickeae Piceae 185, 186
Dilophospora 528-530; *albida* 527, 529, 530; *Alopecuri* 528, 530, 531; *graminis* 528
Diplodia Theobromae 523
Diplophlyctis 114, 379; *intestina* 200, 363
Dipodascus 372; *albidus* 372; *uni-nucleatus* 372
Discinella livido-purpurea 230
Dothichiza Garryae 187
Dothiorella 519
Duplicaria acuminata 665

Eccilia pentagonospora 581
Echinostelium minutum 228, 703
Ectrogella 115
Eichleriella Leveilliana 135; *pulvinata* 135; *spinulosa* 135
Elaeomyxa 593, 594; *cerifera* 593, 594; *miyazakiensis* 593, 594
Elsinoë 214, 318, 321; *Adeniae* 318; *amazonica* 214; *ampelina* 214; *Antiaridis* 318; *australis* 214; *Calopogonii* 214; *Canvaliae* 318; *Chandleri* 318; *Dolichi* 318, 321; *Fawcettii* 214, 318, 321; *Hansfordii* 318, 320; *Piperis* 318; *Piri* 214; *Pseudospondiadis* 318; *Randii* 214; *Tephrosiae* 318, 321; *Tylophorae* 318; *Uraeae* 318; *veneta* 214
Endochytrium 115, 445; *operculatum* 200, 201, 444, 451
Endocoenobium 115
Endoconidiophora 660; *fimbriata* 661
Endoconidium 412, 414
Endohormidium tropicum 473
Endophyllum 695
Endothia 521; *Coccolobii* 521
Enerthenema 256; *melanospermum* 256, 257; *papillatum* 256, 257
Entomophthora 602
Entophlyctis 114; *heliomorpha* 200; *texana* 200

Entyloma Astor-sericeanum 126; *Meliloti* 192; *Spragueanum* 127
Eocronartium 134
Erioderma 349; *mollissimum* 349
Erysibe arillata *Gладиoli* 52, 53
Erysiphe 356; *Chelonis* 229; *Galeopsisidis* 229; *lamprocarpa* 229
Euallomyces 209, 212
Eudorina illinoisensis 451
Eurychasma 115
Eurychasmidium 115
Euthraustotheca 48, 49
Eutypa flavovirens 229
Eutypella cerviculata 229
Eu-zignoella 272
Exidia 133, 138; *candida* 135; *glandulosa* 135; *nucleata* 135, 230; *recisa* 135; *saccharina* 135

Favulus canadensis 232
Femsonia luteo-alba 135
Fenestella princeps 229
Fistulina 403
Flammula sapinea 233
Fomes applanatus 232; *conchatus* 232; *connatus* 232; *fomentarius* 177, 232; *igniarius laevigatus* 17, 19-21, 26, 232; *pinicola* 232; *roseus* 232; *scutellatus* 232; *subroseus* 232
Fomitiporella 595
Fomitiporia 595
Fonsecaea 431, 435, 438, 439; *compacta* 427, 431; *Pedrosoi* 431, 434, 435, 438, 439; *Pedrosoi Cladosporioides* 432, 434, 436, 438; *Pedrosoi communis* 432-434, 436, 438; *Pedrosoi Phialophorica* 432, 434, 437, 438, 440; *Pedrosoi typicus* 431-436, 438, 440
Frostiella 409
Fuligo cinerea 257; *septica* 228, 379
Fusarium 102, 383, 642
Fuscoporella 595
Fuscoporia 595
Fusicladium 35

Galera tibiicystis 233
Ganoderma 573; *lucidum* 233
Geaster 13, 15, 16; *Archeri* 15; *coronatus* 583; *fimbriatus* 583; *mamosus* 16; *radicans* 583; *xerophilus* 13-15
Gelasinospora 303; *tetrasperma* 303, 304
Geogonia 47, 116
Gloeosporium 105; *punctiforme* 234; *Theobromae* 105
Gloeotulasnella 132; *cystidiophora* 134; *metachroa* 134; *pinicola* 134; *traumatica* 134; *tremelloides* 230
Glomerella 219-221; *cingulata* 220
Glomerularia Corni 134, 234

- Glonium lineare* 229
Gnomonia 31
Godronia Linnaeae 230
Gomphidius flavipes 234
Gomphinaria 435
Gomphonema micropus 551
Gonapodya 115
Gonatorrhodiella Highlei 705
Gorgoniceps 178; *turbinata* 178
Grandinia farinacea 232
Graphium 651, 655
Grosmannia 657, 658, 660, 661; *serpens* 658
Guepinia Peziza 132
Guepiniopsis alpinus 135; *chrysocomus* 135; *tortus* 132, 135
Gymnosporangium aurantiacum 231; *cornutum* 231
Gyrodon 65; *merulioides* 65; *Rompelii* 65
Gyroporus, 405-409; *castaneus* 405; *cyanescens* 65, 405; *pisciodorus* 408; *rosealbus* 407; *subalbellus* 65; *umbrin squamosus* 407
Hadrotrichum Populi 215
Haematomyxa Sequoiae 181, 182, 186
Hansenula 628, 630-634, 640, 643, 645-647; *anomala* 629, 630, 632, 634-636, 642, 643, 645-647; *anomala heteromorpha* 630, 636, 642-644, 647; *anomala longa* 630, 632, 635, 636, 642, 643, 647; *anomala productiva* 630, 632, 635, 643; *anomala robusta* 630, 632, 635, 643; *anomala sphaerica* 629, 630, 632, 634-636, 642, 643, 645-647; *Ciferri* 630, 632, 638, 642-647; *fermentans* 633; *javanica* 630, 632, 635, 643, 645; *lambica* 630, 639, 642, 643, 645, 647; *nivea* 630, 632, 634, 635, 643; *panis* 629, 630, 632, 635, 643; *saturnus* 629, 630, 632, 637, 642-647; *Schneggii* 629, 632, 639, 642, 643, 645-647; *suaveolens* 630, 632, 637, 642-647; *subpelliculosa* 629, 630, 636, 642, 643, 645-647; *Wichmanni* 632
Hantzschia phycomyces 661
Harpochytrium 370
Helicobasidium candidum 136; *purpureum* 132
Helicogloea 137; *Lagerheimi* 136; *pinicola* 136
Helicoma Curtisii 234; *larvale* 524
Helicomycetes roseus 524; *scandens* 234
Helotium 154, 155, 161, 175, 234; *aciculare* 179; *affinissimum* 178; *albellum* 157; *albopunctum* 167, 172; *album* 162, 230; *albuminum* 156, 159, 163, 166; *appendiculatum* 161; *atrosubiculatum* 516, 518, 529, 530; *bryogenum* 167-169; *cariacellum* 178; *ciliatosporum* 161; *citrinulum* Seaveri 172; *citrinum* 179, 230; **Conocarpus** 517, 518; *cyathoides* 179; **destructor** 163, 165, 167; *epiphyllum* 179, 230; *episphaericum* 157, 167, 175-177; *fastidiosum* 158, 165, 167, 168, 230; *flexuosum* 172; *fraternum* 159, 167, 173, 175, 230; *gracile* 154, 159, 162, 166; *griseolum* 176; *herbarum* 157, 159; *hydrogenum* 178; *hymenophilum* 176; *limonium* 159, 162, 163, 167; *lutescens* 179; *macrosporum* 155, 177; *mycetophilum* 167, 177; *naviculasporum* 159, 167-169, 171; *palustre* 178; *parasiticum* 175, 176; *phyllophilum* 230; *pileatum* 178; **planodiscum** 167, 171; *rhizogenum* 178; *rugipes* 178; *salicellum* 179; *saprophyllum* 169, 170; *Scutula* 154, 158, 159, 161, 166, 167; *Scutula albidula* 171; *Scutula f. Lysmachiae* 160; *Scutula f. Rubi* 160; *Scutula f. Rudbeckiae* 160; *Scutula f. vitellina* 160; *sordatum* 167; *sordidatum* 171; *sparsum* 169, 171; *subcarneum* 163; *subrubescens* 178; *thujinum* 155, 178; *turbinatum* 167, 168; *Verbenae* 160; *vibrissoides* 178; *virgulatorum* *Scutula* 160; *vitellinum* 159; *vitellinum pallido-striatum* 160
Hemiarcyria 699
Hemitrichia 699; *clavata* 228, 699, 700; *montana* 699, 700; *Serpula* 228; *stipitata* 228, 700; *Vesparium* 228
Heterotextus 137
Hexajuga 66
Hormodendroides 435; *Pedrosoi* 433, 436
Hormodendrum 430-439; *compactum* 440, 441; *Pedrosoi* 438
Humaria turbinata 168
Humarina semiimmersa 583
Hyaloria Pilacre 136
Hydnangium carneum 64; *Soderstromii* 64
Hydnoporia 595, 596
Hydnum 357; *fuligineo-violaceum* 580; *zonatum* 583
Hygrophorus ceraceus 233; *conicus* 583; *miniatus* 233
Hymenobolina 701; *parasitica* 258, 259, 701; *pedicellata* 259, 701, 702
Hymenochaete 150; *cinnamomea* 231; *spretta* 232; *tabacina* 232
Hymenoscypha albopuncta 172; *gracilis* 160; *planodisca* 171; *Scutula* 160; *Scutula Lysmachiae* 160;

- Scutula Rudbeckiae* 160; sub-
carnea 163
Hyphochytrium 115
Hypoholoma sublateralitum 583
Hypochnus fumosus 231; *olivascens*
 232; *purpureus* 132
Hypocrea patella 229; *rufa* 229
Hypomyces aurantius 229; *lacti-
 fluorum* 229; *polyporinus* 229
Hypoxylon caries 229; *cohaerens* 229;
commutatum *Holwayanum* 229;
fuscum 229; *Lakei* 229; *Morsei* 176;
multiforme 229; *rubiginosum* 229
Hypotheca 489-491; *calicioides* 490,
 491, 498; *ephemera* 500; *subcorti-
 calis* 490, 500; *thujina* 490, 506
Inocybe lacera 233
Isoachlya 116
Ixocomus 404, 406, 409
Jola 134
Kleistobolus 701, 702; *pusillus* 257,
 258, 702
Kloeckera 141
Krombholzia 405, 406
Krombholziella 405, 406
Labyrinthomyxa 358
Labyrinthula 359
Lachnella corticalis 230; *rufo-oli-
 vaca* 298
Lachnum Arundinariae 230; *leu-
 cophaeum* 230; *pygmaeum* 178;
virgineum 230
Lactaria 8; *chrysorhea* 9, 10, 12;
crocea 9, 10, 12; *deceptiva* 233;
delicata 9, 10, 12; *deliciosa* 233,
 581; *fuliginosa* 233; *glaucescens*
 113; *Indigo* 583; *maculatipes* 8-12;
pergamena 581; *piperata* 113;
scrobiculata 10; *subdulcis* 233;
theiogala 9, 10; *torminosa* 233
Lagena 116
Lagenidium 116
Lagenula 485, 489, 492, 503; *arrhiza*
 492, 513; *fruticula* 485, 492;
nigra 492, 502
Lagenulopsis 468, 485, 487, 490;
bispora 486, 488
Lambertella 584, 585; *Corni-mar* 585
Lamproderma atrosporum 257; *co-
 lumbinum* 594; *muscorum* 257;
scintillans 228, 257
Laschia 235-238; *Auriscalpium* 237-
 239; *chippii* 238; *intermedia* 238;
sabaleensis 238, 239
Lasiobolus 107; *equinus* 106-108;
pilosus 230
Lasiosphacteria crinita 229; *hispidula*
 229; *viridicoma* 229
Latrostium 115
Lecanora hypoptoides 350; *insignis*
 349; *olivaceopallida* 349; *pinastri*
 350
Leccinum 403, 405, 406, 409; *auran-
 tiacum* 405; *aurantiacum leuco-
 podium* 405; *aurantiacum rufum*
 405; *constrictum* 405; *edule* 405;
elephantinum 405; *lactifluum* 405;
luridum 405; *piperatum* 405; *rube-
 olarium* 405; *scabrum* 405, 406; *sub-
 tomentosum* 405
Lecidea Degelii 349; *deminutula* 349;
dryina 267; *granulosa* 350; *gyrodes*
 349; *helvola* 350; *helvola longi-
 spora* 349; *mollis* 350; *olivacea*
inspersa 349; *subsimplis* 350; *sub-
 tilis* 349
Lenzites betulina 232; *saepiaria* 232
Leocarpus fragilis 228
Leotia lubrica 230; *lubrica* f. *Steven-
 soni* 579
Lepiota 322; *aurantiogemmata* 322,
 324; *clypeolaria* 582; *gemmata* 322,
 324; *naucina* 583; *scabrivolata* 324
Leptogium americanum 350
Leptographium 657, 658, 660, 661;
Lundbergii 658
Leptogorgia 116
Leptomitus 116
Leptonia seticeps 582
Leptoraphis contorta 349; *Quercus*
 349
Leptosphaeria 1, 663, 664; *Asteris* 3,
 7; *caricinea* 663; *clavigera* 2;
clavispora 1, 3, 7; *junciseda* 663;
latebrosa 4; *longipedicellata* 2, 3, 7;
mesoedema 4; *picastra* 273; *sub-
 compressa* 3, 4, 7; *subconica* 2;
vagabunda 2; *vagans* 663
Leucogyroporus 408, 409; *deflexus*
 408; *pisciodorus* 408; *Rhoadsiae*
 408; *stramineus* 408
Leucoloma turbinata 168
Liagora 375; *tetrasporifera* 375
Licea 258, 259, 700-702 *biforis* 257,
 258, 703; *castanea* 257, 258;
clavata 700; *flexuosa* 700; *Kleis-
 tobolus* 702, 703; *minima* 228, 258,
 703; *operculata* 702, 703; *parasitica*
 702, 703; *pedicellata* 702, 703;
pusilla 700, 702; *Tubulina* 700;
variabilis 700
Liceopsis 702
Ligniera 115, 597
Lindbladia 701
Linospora 6
Lophodermium melaleucum 230;
Phloxii 665; *Thujae* 230
Lycogala 249; *epidendrum* 228; *flavo-
 fuscum* 249
Lycogalopsis Solmsii 515

- Lycoperdon fuscum 583; gemmatum 322, 324; muscorum 234; pyriforme 234; subincarnatum 234; umbrinum 234
 Macrochytrium 115, 445
 Macroderma 61, 62
 Macrophoma 191; cylindrospora 666; ilicella 190, 191
 Marasmius rotula 233
Martinia 585, 588; **panamaensis** 586, 588-590
 Massaria inquinans 229
 Megachytrium 115
 Melampsora Medusae 231
 Melampsorella 606-610, 612-616, 619-622, 625, 627
 Melanoleuca 71
 Melanoporia 595, 596
 Melomastia 272
Meruliporia 595, 596; **incrassata** 596
 Metasphaeria 1; sepalorum 664
 Microglossum rufum 230
 Micromphale 216
 Micromyces 114
 Micromycopsis 114
 Microphiale diluta 169
 Microsphaera 356
 Microthelia inops 349
 Mindenella 116
 Mitochytridium 114
 Mollisia 178; benesuada 230; cinerea 230; ramealis 230; stictella 230
 Monascus 372
 Monilia Amelanchieris 575, 576; sitophila 347
 Monilinia 575; **Amelanchieris** 575
 Monoblepharella 115, 241, 245, 246; **mexicana** 242-246; Taylori 241, 245, 246
 Monoblepharis 115, 244-246, 366, 367, 370; ovigera 245, 246
 Monochaetia 308, 315-317; depazeoides 315; Mali 315
 Mortierella 372
 Mucor 372, 382; plumbeus 229; racemosus 229
 Mucronella aggregata 232
 Mycena corticola 233; haematopa 233
 Mycoderma 141
 Mycosphaerella 31; **Sequoiae** 184
 Myrioblepharis 115
 Myriostoma 532, 533; coliforme 532, 533
 Myrophagus 114
 Myxomyces 237
 Myzocyttium 116
 Naucoria Centunculus 420; siparia 233
 Nectria 705; cinnabarina 229; coccinea 705; Coryli 229; episphaeria 229; Lantanae 516
 Nematosporangium 549
 Nephrochytrium 111, 115
 Nephroma parile 350
 Neurospora 303, 306, 340, 342, 346, 347; crassa 325, 340, 346; sitophila 326, 342, 346, 347, 521; tetrasperma 303-305, 325-327, 330, 333, 335, 336, 339, 343-347
 Nigredo leptoderma 670
 Nowakowskia 115, 549, 550, 556; Hormothecae 549, 550
 Nowakowskiella 115, 443, 444, 447; elegans 200; profusum 200; ramosum 200
 Nucleophaga 114
 Obelidium 115
 Ochrolechia Yasudae 349
 Octojuga 66; Giovannellae 66
 Octomyxa 115
 Odontia arguta 523; cristulata 232; fimbriata 232; stipata 232
 Odontotrema 267, 269-271; hemisphaericum 269-271; minus 267-269, 271
 Oedogonium 366
 Oligonema 259, 696; flavidum 696; nitens 696
 Ollula pezizoidea 668
 Olpidiomorpha 114
 Olpidiopsis 116, 203, 356, 363, 368
 Olpidium 114, 199, 363, 370, 379; gregarum 200; radiale 362, 368, 379; Uredinis 104
 Ombrophila Clavus 178
 Omphalia Epichysium 582; Giovannellae 66; philonotis 66; umbellifera 66
 Oncospora 264
 Opegraphia cinerea 349
 Ophiobolus 1, 6; acuminatus 7; anguillides 1; Cirsii 7; **Cirsii-altissimi** 5, 6, 7; **Junci** 5, 7; juncicola 7; **nigro-clypeata** 4, 5, 7; Solidaginis 6
 Ophionectria cylindrothecia 516, 524
 Ophiostoma 650, 651, 655, 660
 Ophiostoma 701; chrysosperma 228
 Orbilia coccinella 230; leucostigma 230; xanthostigma 230
 Orcadella 258, 259, 701; operculata 228, 258, 701; **parasitica** 258; **pusilla** 258
 Ozonium auricomum 524
 Panaeolus retirugis 582
 Panus rudis 233; stypticus 233
 Papulaspora 52-58, 391, 392, 394-398; **appendicularis** 392, 393, 394-

- 397; coprophila 391, 395-397;
Dodgei 391-393, 395-397, 399;
Gladioli 53-57, 58, 391-393, 396-399; polyspora 394; rubida 392, 393, 395-397
- Paragyrodon 65
- Parmelia *Arnoldii* 350; cetrarioides 350; dissecta 349; lobulifera 349; revoluta 350; sorocheila 349; sorocheila catawbiensis 349; subaurifera 350; trichotera 350; tubulosa 350
- Patella albida 583; pulcherrima 583; scutellata 230
- Patellaria atrata 524; minor 267
- Patouillardina cinerea 135
- Paxillus atrotomentosus 233; involutus 233
- Paxina macropus 230
- Peniophora alutacea 232; argillacea 232; carnosa 232; cinerea 232, 523; crenea 232; hydnoidea 232; longispora 232; mutata 232; piceina 232; sanguinea 232; tenuis 232
- Penzigia bermudensis 521
- Perenniporia** 595; nigrescens 595; unita 595
- Perichaena 259, 701; corticalis 259, 260; corticalis liceoides 259; vermicularis 260
- Peridermium 606, 626; balsameum 231
- Peronospora obducens 229
- Pertusaria amara 350; laevigata 350; leioterella 350
- Pestalopezia** 300; **brunneo-pruinosa** 300; **Rhododendri** 299, 300, 301
- Pestalotia 180, 298, 300, 301, 308, 309, 312, 313, 316, 317; albomaculans 312; Banksiana 312; brevipes 314; caffra 316; **Citri** 312, 317; clavisporea 311; depazeoides 316; elasticola 311; funerea 313, 316; funerea f. *Mangiferae* 309; fuscescens 316; gibbosa 180, 298; Gossypii 309; Guelpini 308, 312, 313; **Lawsoniae** 315, 317; Lepidospermatidis 313; leprolegna 309; longiaristata 310; macrotricha 313; Mali 315; malorum 310; mangalorica 311; *Mangiferae* 309; Meneziana 309; Micheneri 310, 524; palmarum 308, 313, 314; palmicola 314; pauciseta 309, 313; Phoenixis 314; pinnarum 314; **pipericola** 314, 317; Psidii 311; Sapotae 311; suffocata 312; **Taslimiana** 310, 317; Theae 313; versicolor 311; virgata 309
- Petersenia 116
- Pezicula 412; acericola 230; carnea 230; **purpurascens** 413, 414, 415; subcarnea 230
- Peziza 155, 300; albumina 156, 157; bulgarioides 599; citrina 179; cyathoidea 179; firma 598; muscorum 169; ochracea 186, 191; planodisca 171; pustulata 192; Scutula 159; strobilina 599; subcarnea 163
- Pezizella 31; albopuncta 172; anonyma 177; **aristospora** 182, 183; planodisca 171
- Phacidium 61, 62; Curtisi 62; lacerum 61, 268; nigrum 59-63; Vaccinii 230
- Phaeociboria 589
- Phaeosphaerella **Rhamni** 185
- Phellorina 534, 535; macrospora 532, 534, 535
- Phelonitis 700
- Phialea 154; anomala 155, 178; appendiculata 160; cyathoidea 230; dolosella 230; gracilis 160; Scutula 159; Scutula Rudbeckiae 160; subcarnea 163; vitellina 160; vitellina pallido-striata 161
- Phialoconidiophora 435; Guggenheimia 436
- Phialophora 430, 432, 435-439; macrospora 432, 437, 440; verrucosa 430, 432, 433, 438, 440, 441
- Phlebia strigoso-zonata 232
- Phleogena 132; faginea 132, 134, 136
- Phlogiotis helvelloides 135
- Phlyctidium 110, 114, 550, 551, 556; anatropum 551; anomalum 550-552, 555; laterale 550
- Phlyctochytrium 105, 110, 114, 366, 556; **Lippsii** 105, 106
- Pholiota erinaceella 233
- Phoma 267; acuta 266; ilicina 190, 191; pulviscula 267
- Phyllachora graminis 230
- Phylloporus Rompeli 65
- Phyllosticta 666, 667; **Fritillariae** 666; hispida 666; Monardellae 666; **nigrescens** 666; **Phoradendri** 188
- Physalacria inflata 232
- Physalospora 31, 191; Illicis 190, 191
- Physarum 252, 260, 700, 701; Bethelii 703; bivalve 228; cinereum 228; globuliferum 228; Licea 700; nudum 260; psittacinum 260; psittacinum fulvum 260; pusillum 260; reniforme 253; superbum 261; viride 228, 704; viride Bethelii 703
- Physcia melops 349; subtilis 349; Wainioi 349
- Physisporinus 595; spissus 595; vinctus 595
- Physocladia 115, 444
- Physoderma 115, 444

- Physorhizophidium 114
 Phytophthora 94, 96, 101-103, 195,
 202; cactorum 202; cambivora 99;
 Cinnamomi 99, 103; cryptogea 99,
 206; Drechsleri 99; erythrosetica
 99; hibernalis 101; infestans 99,
 101; **lateralis** 96, 97, 98-103;
 megasperma 206; Phaseoli 99;
 Richardiae 99; Syringae 101
 Pichia 140, 632, 640, 641, 647;
 Chodati 630, 640, 647; fermentans
 629, 640, 647; fermentans **rugosa**
 629, 640, 647; **Kluyveri** 630, 641,
 647
 Pilacre faginea 138, 583; Petersii 132
 Pinuzza 403, 404; flava 404
 Pithya Cupressi 178, 516
 Pityrosporum 141
 Plasmodiophora 115, 359
 Plasmophagus 114
 Platygloea fusco-atra 136; Penio-
 phorae 136
 Plectania coccinea 119
 Plectospora 116
 Pleolpidium 193, 194, 196, 199, 202,
 208; Apodyae 197; Ariosporae 197;
 Blastocladiæ 199; cuculus 198;
 inflatum 195, 205, 208; irregulare
 198; marinum 200; Monoblepha-
 ridis 196; Polyphagi 199; Rhipidii
 197; tuberculorum 199
 Pleospora 663, 664; permunda 664
 Pleotrachelus 114
 Pleurostoma Candollei 229
 Pleurotremia solivagum 349
 Pleurotus 216; candidissimus 233;
 corticatus 582; Pascekerianus 66
 Plicaria turbinata 168
 Plowrightia morbosa 230
 Pluteus cervinus 233; cervinus albus
 233; nanus 233
 Podaxon 534; pistillaris 534, 535
 Podochytrium 114; clavatum 551
 Podosphaera 356
 Polyactis vulgaris 217
Polychytrium 442-444; **aggregatum**
 442, 444-447, 449, 450
 Polymyxa graminis 597
 Polyphagus 115; Euglenae 363
 Polyporus 145, 147, 149, 152, 651;
 abietinus 232; adustus 232; albel-
 lus 232; anceps 232; betulinus 232;
 brumalis 232; cinnabarinus 233;
 circinatus 233; compactus 142;
 concrescens 176; elegans 233; fibril-
 losus 234; galactinus 233; gilvus
 523; glomeratus 17, 26, 142, 144,
 150, 153; graminicola 523; hirsutus
 233; lucidus 145, 149; pargamenus
 233; perennis 233, 234; radiatus
 233; resinosus 233; rheades vul-
 pinus 233; Rickii 143-145, 149,
 153; semipileatus 233; sulphureus
 192; Tsugae 233; Tulipiferae 233;
 varius 233; versicolor 233
 Polysphondylium pallidum 228
 Pontisma 116
 Poria 17, 595; Andersonii 142, 153;
 euporia 233; medulla-panis 233;
 nigrescens 233; obliqua 150; pruni-
 cola 19-21, 233; semitincta 233;
spiculosa 17, 19-25
 Porothelium fimbriatum 232
 Pringsheimiella 114; dioica 203
 Protoachlya 116
 Protoderma 701
 Protogaster 377
 Protohydnum cartilagineum 135
 Psathyra obtusata 583
 Psathyrella crenata 583
 Pseudocyphellaria Mougeotiana 350
 Pseudolpidopsis 356, 363, 368
 Pseudolpidium 116; Pythii 203
 Pseudopithyella minuscula 516
 Pseudosphaeria 116
 Pseudospora 359, 360
 Psilopezia deligata 230
 Ptychogaster 145, 147-149, 151, 152;
 cubensis 143-152; Fici 145; lucidus
 144, 145, 153
 Putcinia 104; angustata 231; an-
 gustata typica 231; araguata 674,
 682, 686, 687; atra 688-692;
 Caricis 231; Caricis grossulariata
 231; **catervaria** 669, 673, 676, 677,
 679-682; Chaetochloae 673, 676-
 679, 681, 682, 686; circumdata 669,
 674, 679-682, 693; compressa 685;
 dolosa 669, 670, 674, 679, 681,
 682, 686, 693; eslavensis 689-691;
 Gladioli 398; Grossulariae 231;
 Helianthi-mollis 231; Hieracii 231;
 Huberi 674, 681, 682, 692-694;
 levis 669, 680-682, 693, 694;
 macra 687, 688, 692; Maublancii
 678; obtegens 231; panicicola 670;
 panicophila 688-691; paspalicola
 669, 685, 686; Pilgeriana 673, 683,
 685; Poae-sudeticae 231; porphyro-
 genita 231; **pseudoatra** 688, 690-
 692; Puttemansii 669, 676, 677,
 682, 693, 694; Setariae 688, 691,
 692; substriata 669-671, 673-675,
 679, 682-687, 693; tubulosa 669,
 683, 685, 686, 694; Violae 231, 579,
 580
 Pucciniastrum americanum 231; Go-
 eppertianum 231; Myrtilli 231;
 Potentillae 231
 Pulveroboletus 65; Ravenelii 64
 Pyrenopsis subfuliginea 350
 Pyrenula bahiana 349; brunnea 349
 Pythiella 116
 Pythiogeton 116

- Pythiomorpha 116
 Pythiopsis 116
 Pythium 116, 198, 278, 289, 291, 368, 543, 544, 547, 549, 550, 555, 557; Debaryanum 200; gracile 202; intermedium 198, 205; monospermum 198; myriotylum 283; splendens 274; vexans 198
 Radulum orbiculare 232; quercinum 232
 Ramularia 28, 668; lethalis 28; obducens 668
 Resupinatus 216
 Reticularia 116; Lycoperdon 228
 Rhizophora 264; pyrenophora 264; thelocarpoidea 264; tympanidispora 264
 Rhipidium 116, 541; americanum 206; continuum 206
 Rhizidiomyces 115, 361, 370
 Rhizidiopsis 114
 Rhizidium 114, 552
 Rhizocarpon intermedium 349; plicatile 350; reductum 350
 Rhizoclostrum 115
 Rhizoctonia 382, 383, 387, 389; mucoroides 381, 382, 384-389
 Rhizophidium 105, 110, 114, 539, 541-543, 550, 551, 554-556; Beauchampii 445, 451; carpophilum 555; fungicolum 104; globosum 200; graminis 363; laterale 556; macrosporum 552, 555, 557
 Rhizophlyctis 115; Petersenii 200, 201; rosea 201, 208
 Rhizosiphon 114
 Rhodochytrium 364
 Rhodotorula rubra 140
 Rhopalomyces elegans 234
 Rhytisma 61, 62; Andromedae 62; canadensis 230; Curtisii 61; Illicis-canadensis 230; salicinum 230
 Rosellinia lignaria 229; pulveracea 264
 Rostkovites 406
 Rozella 114, 193-197, 199, 201-204, 208; Allomycis 204; Apodyae 193, 197; Apodyae brachynematis 197; **Barrettii** 202; Blastocladiaceae 199; Cladochytrii 200, 204; Cuculus 198, 199, 202; Endochytrii 200; **laevis** 201, 202; marina 200, Monoblepharidis 193, 194, 196; Polyphagi 199; Rhipidii 193, 197, 198; Rhipidii spinosa 197; Rhizophlyctii 201; septigena 193-195, 203-208; simulans 194-196, 204, 207
 Rozellopsis 193, 195, 196, 202, 204, 205, 208; inflata 205; septigena 206; simulans 207; Waterhouseii 206
 Russula 71, 76, 237, 400, 416; abietina 90, 91; aeruginosa 233; alutacea 234; amethystina 77; amygdaloides 9, 12; atropurpurea 78, 83, 84, 400; atroviolacea 92; aurantialutea 9, 12; badia 74, 77, 92; Balloui 66, 67; Barlae 78; betulina 90, 91; Blackfordiae 89, 90; blanda 73; borealis 9, 12, 233; Bresadoliana 93; Britzelmayeri 79; brunneola 76; Burkei 79; Burlinghamiae 67; caerulea 76; cavipes 84; Cernohorskyi 92; chamaeleon 91; chamaeleontina 91; chlorinosoma 72; **chrysodactyloides** 77; cinerascens 78, 79; consobrina 81, 82; consobrina rufescens 81; consobrina sororia 82; crenulata 84; crustosa 72; cyanoxantha 79; Davisii 76; decolorans 79, 233; deremensis 71; disparilis 87; dura 72; Earlei 68; elatior 88, 89; elephantina 68; emetica 83, 233; emetica atropurpurea 83; emetica euemetica 83; euemetica f. alba 84; fallax 84, 233; Ferreri 76; flava 233; flocculosa 75; foetens 69-71, 79, 80, 233, 234; Font-Querii 89; fragilis 84, 233; fulvescens 88; gracilis 86; gracilis gracillima 86; grisea 76; helodes 85; Hibbardiae 75; humidicola 86; insignis 67; integra 91; integra aurantiaca 89; lactea 73; Laurocerasi 71; luteotacta 85; maculata 79, 80, 92, 93; magna 80; Mariae 75, 77; maxima 88; mexicana 85; mordax 77; Murrillii 77; mustelina 68; nauseosa atropurpurea 92; nigricans 81; ochroleucoides 9, 12, 73; olivacea 76; olivascens 90, 91; paludosa 88, 89; Patouillardii 72; paxilloides 92; pectinata 69; perplexa 74; polycystis 72; praeumbonata 74; puellaris 90, 233; pulchra 73, 74; pulverulenta 71; punctata 77, 91; punctipes 71; Queletii 85; redolens 84; Robinsoniae 85; rubra 77; rubriochracea 77; rubrotincta 88, 89; rugulosa 233; schizoderma 72; septentrionalis 72; sericeonitens 9, 12; serissima 78; serotina 90; sordida 234; sphagnophila 9, 12, 90; subfragilis 233; subolivascens 90, 91; subpunctata 9, 12; sulcatipes 74; tenuiceps 9, 12; Theissenii 68; Turci 77, 91; variata 79, 233; Velenovskyi 91; venosa 90; ventricosipes 69, 71; vesca 75, 76, 78, 81; vesca f. Romellii 76; vesca f. typica 76; veternosa 92; vinacea 83, 84; virescens 72; viridella 72;

- viridella yuennanensis 72; xerampelina 74, 77, 78, 81, 84, 233; xerampelina Barlae 78; xerampelina rubra 77; yuennanensis 72; yuennanensis **pseudoviridella** 72
 Rutstroemia 175, 525, 529, 598, 599; longipes 155, 178; luteovirescens 175; macrospora 177, 230; Nerii 517; petiolorum 230; Pruni-serotinae 525; sulfurella 230
 Ryparobius sexdecimsporus 109
 Saccharomyces 140; cerevisiae 646
 Saccomyces 114
 Saprolegnia 116, 200, 203, 207, 368; monoica 206; spiralis 203; Thureti 206
 Sapromyces 116, 541
 Sarcodon radicans 580
 Scherffelomyces 114
 Schizoblastosporion 141
 Schizophyllum commune 233
 Schizoxylon 267; corticola 267; dryinum 267; saepincola 267
 Schwannomyces occidentalis 140
 Scleroderma flavidum 583; Geaster 583
 Scleroderris Sequoiae 181
 Sclerotinia 57, 392, 395, 397, 575; Amelanchieris 575; Geranii 598; minor 588; sclerotiorum 230, 517
 Scodellina leporina 230
 Scopularia venusta 661
 Sebacia 133, 134, 137, 138, 379; adusta 135; atra 135; caesiocinerea 230; calcea 135, 138; calospora 135; cinerea 135; epigea 135; fugasissima 135; Galzinii 135, 231; helvelloides 133; incrustans 133, 231; molybdea 135; opalea 135; Pini 135; plumbescens 135; podlachica 135, 231; prolifera 133, 136; rimosa 136; subilacina 136; umbrina 136
 Seismosarca alba 136; hydrophora 136
 Septobasidium 134, 137; Bagliettianum 134
 Septochytrium 115, 443, 444
 Septopodium 114
 Septoria 667; acerina 234; acicola 524; angularis 667; astericola 667; atropurpurea 667; **shastensis** 667; tharpiana 667
Septosperma 552, 555; **anomala** 552; **Rhizophidii** 548, 552-555, 557
 Serpularia 700
 Simblum 128, 131; sphaerocephalum 128; texense 128, 130; texense **albidum** 128-130
 Siphonaria 115
 Sirobasidium Brefeldianum 135; sanguineum 135
 Sirolpidium 116
 Siroscyphellina Arundinaceae 668
 Solenia anomala 232; fasciculata 232; polyporoidea 232
Solutoparies 543, 549, 555; **Pythii** 543-545, 547-550, 555-557
 Sommerstorffia 116
 Sordaria coronifera 106, 108; fimicola 109
 Sorica 464, 489-492, 513; clavata 491, 503; Dusenii 508; maxima 491, 496, 508
 Sorodiscus 115
 Sorosporium **Chardonianum** 125
 Spathularia velutipes 230
 SpERMOPHTHORA 373
 Sphaceloma 214, 321; Genipae 214; mattirolanum 214; Perseae 214; Populi 214, 215; Ricini 321; Rosarum 214; Terminaliae 214
 Sphacelotheca **peruviana** 124; **utahensis** 125
 Sphaeria 263; albocincta 272, 273; Alopecuri 528; diaphana 273; hemisphaerica 264-267; pyriformis 263; Solidaginis 6; soluta 273; subulata 263
 Sphaerita 114
 Sphaerocladia 115, 212
 Sphaeronomema 263; clavatum 503, 504; hemisphericum 264, 265, 267; pyriforme 263, 264; subcorticale 500; subtile 265, 266
 Sphaeropezia 269; Arundinarieae 269
 Sphaeropsis 28
 Sphaerotheca 356
 Sphaerulina myriadea 191
 Sporocybe calicioides 503
 Sporodinia 382; grandis 229
 Sporophlyctidium 114
 Sporophlyctis 115
 Sporormia megalospora 109
 Staurothele tenuissima 349
 Stegia 192; Illicis 192
 Stemonitis 249, 262; confluens 261, 262; flavogenita 228; fusca 228, 250; nigrescens 229; splendens 250, 262; splendens flaccida 250; trechispora 250
 Stereocaulon pileatum 350; tennesseense 349
 Stereum fasciatum 232; frustulosum 653; gausapatum 142; Murrayi 232; roseo-carneum 232; rufum 232; sanguinolentum 232
 Stictis Coccolobii 517; Conocarpi 519; hemisphaerica 269, 270; radiata 230
 Stilbum nigrum 501-503
 Stropharia semiglobata 233
 Strumella **Simmondsiae** 182, 190

- Stylopaga cephalote* 274, 284, 292, 293, 297
Stypella 137; *minor* 136, 231
Stypinella orthobasidion 136
Suillus 403-406, 409; *betulinus* 405; *luteus* 404, 406
Synchytrium 114, 363, 445; *endobioticum* 450
Sysygospora alba 136

Taphrina Alni-incanae 230
Tetrachytrium 115
Tetramyxa 115
Thecaphora 52
Thelephora griseozonata 232; *terrestris* 232
Thermutis velutina 350
Thraustochytrium 115
Thraustotheca 38, 47, 48, 51, 116; *bispora* 49, 51; *primoachlya* 49, 50; *unisperma* 49, 51
Tilletia Festuca-octoflorana 126
Tinctoporia 595
Tomentella atrorubra 232; *botryoides* 232; *coriaria* 232; *fuliginea* 232; *olivascens* 232
Torula monosa 140; *rosea* 140
Torulopsis 141, 630, 642, 647; *alac-tosa* 140; *californica* 140, 141, 642, 647; *dactylifera* 140; *dattila* 140; *fermentans* 140; *kefir* 140; *lactosa* 140; *lipofera* 140; *luteola* 140; *pulcherrima* 140, 141; *utilis* 140
Trachypus 405, 406, 409
Trametes americana 233; *serialis* 233; *variiformis* 233
Trematosphaeria excellens 270; *Mor-thieri* 265, 273; *picastra* 273
Trematostoma 265, 272; *Morthieri* 272, 273; *Weirii* 273
Tremella 133, 138; *atrovirens* 136; *aurantia* 136; *compacta* 136; *fo-liacea* 136; *frondosa* 136; *lutescens* 136, 231; *mesenterica* 136, 231; *mycophaga* 136; *subanomala* 136
Tremellodendron 134, 137
Tremellodon 356; *gelatinosum* 136, 231
Trichia favoginea 229; *persimilis* 229
Tricholoma 416; *acerbum* 421, 423; *album* 417, 421; *album* 421, 423; *amethystinum* 421, 422; *argyra-ceum* 421; *brevipes* 419; *chrysen-teroides* 422; *cinerascens* 421, 423; *columbetta* f. *robusta* 418; *cunei-folium* 420; *cuneifoloides* 420, 421; *duracinum* 420; *equestre* 69, 421; *flavobrunneum* 421; *gambo-sum* 417; *guttatum* 418, 421; *in-amoenum* 419, 421; *loricatum* 417, 421; *luridum* 420, 421; *murinaceum* 422; *panaeolum* 421; *portentosum* 419; *putidum* 420, 421; *quinque-partitum* 416; *rutilans* 233, 421; *saponaceum* 418, 421, 423; *sejunc-tum* 234, 417; *spermaticum* 419, 421; *subsejunctum* 421; *sulphur-eum* 421, 422; *virgatum* 421, 422
Trichosporium 435; *Pedrosoi* 441
Tripocorynelia 481; *tripos* 482
Tripodopora 464, 467, 481, 482, 485, 487, 488, 490, 492; *Cookei* 482; *macrospora* 482, 483, 485; *tripos* 482, 485
Trochilia 192; *Ilicis* 192
Trogia crispa 233
Tropoporella fumosa 234
Trullula tropica 473
Tubifera 700, 702; *ferruginosa* 229, 700; *stipitata* 262
Tubulina 700, 701
Tuburcinia 53, 57, 58; *Gladioli* 53
Tulasnella 132; *allantospora* 135; *araneosa* 135; *bifrons* 135; *pruinosa* 231; *rutilans* 135
Tulostoma 132, 574
Tylenchus Tritici 528
Tylochytrium 550
Tylostoma simulans 583
Tympanis fasciculata 230
Typhula 232; *phacorrhiza* 583

Umbilicaria papulosa f. *lacerata* 349
Uredinopsis mirabilis 231; *Osmundae* 231; *Phegopteridis* 231; *Struthiopteridis* 231
Uredo Chaetochloae 678; *cubango-ensis* 683, 684; *Eriochloae* 670; *eriochloana* 670; *Gladioli* 52, 53, 398; *Panici* 670; *Panici-maximi* 670, 673; *paspalicola* 685, 686
Urocystis 52, 53, 55, 57, 58, 398; *Gladioli* 52-58, 392, 393, 396, 398
Uromyces 695; *bermudianus* 523; *costaricensis* 671; *Hyperici* 231; *leptodermus* 669-671, 673-675, 677; *niteroyensis* 672, 673, 675, 677; *Panici-sanguinalis* 675, 677; *Put-temansii* 669, 672, 673, 675, 677, 679; *sepultus* 672, 673, 675; *Setariae-italicae* 673; *striatus* 231
Urophylyctis 115
Ustilago caulicola 123; *epicampida* 123; *hypodytes* 124; *Underwoodii* 124
Ustilina vulgaris

Valsa 176, 651; *Abietis* 229; *pau-perata* 229
Valsaria exasperans 229; *crenata* 177
Vampyrella 363
Vaucheria 364, 365, 368-370

- Venturia* 31, 34-37; *acerina* 30, 34, 37
Versipellis 407, 409
Verticillium Lactarii 234
Vibrissea turbinata 178
Viscipellis 406
Woronina 115, 361, 368
Xanthochrous Rickii 144
Xenospora Berkeleyi 524
Xerocomus 64, 65, 407, 409
Xylaria corniformis 229; *filiformis* 229; *Hypoxylon* 229
Xylographa hemisphaerica 269, 270; *parallela* 270
Xylopezia 269, 270
Zignoella 265, 266, 272; *albobincta* 273; *diaphana* 266, 273; *excellens* 270, 271; *jurana* 273; *minutissima* 273; *minutissima clavispota* 273; *Morthieri* 265, 267, 271-273; *pulviscula* 272; *soluta* 273; *translucens* 273
Zoopage cladosperra 280; *thamnospora* 289, 291, 293
Zoophagus 116
Zygochytrium 115
Zygothansenula 632, 642, 647; *californica* 630, 632, 640, 642, 645-647
Zygorhizidium 115
Zygosaccharomyces 139, 140; *mandshuricus* 140; *priorianus* 140

